SAFETY DATA SHEET & AXXXVIII

1. IDENTIFICATION

GHS Product Identifier
AXSYN AC-9 LONG LIFE ORGANIC COOLANT

Product Code

AC-9

Company Name

Aktron TA Oil Distributors Ltd

Address

14 Railway Road, Rangiora, 7400

Telephone/Fax Number

Tel: 0800 70 10 10

Email: admin@aktron.co.nz

Emergency phone number

0800 764 766

Recommended use of the chemical and restrictions on use Engine coolant

Additional Information

Colours available: Green, Red, Blue or Yellow

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Acute Toxicity - Oral: Category 4 STOT Repeated Exposure: Category 2

STOT Single Exposure: Category 3 (respiratory tract irritation)

Signal Word (s)

WARNING

Hazard Statement (s)

Harmful if swallowed.

May cause respiratory irritation.

May cause damage to organs through prolonged or repeated exposure.

Pictogram (s)

Exclamation mark, Health hazard



Precautionary statement - Prevention

Do not breathe mist, vapours, spray.
Wash hands thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.

Precautionary statement - Response

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor if you feel unwell. Get medical advice if you feel unwell.

Precautionary statement - Storage

Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Precautionary statement - Disposal

Dispose of contents and container in accordance with local, regional, national, international regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Monoethylene Glycol	107-21-1	60-90 %
Denatonium Benzoate	3734-33-6	0-<1 %
Ingredients determined to be non-hazardous at the formulation concentration		to 100%

4. FIRST-AID MEASURES

First Aid Measures

For advice, contact a Poisons Information Centre (Phone eg. Australia 131 126; New Zealand 0 800 764 766) or a doctor.

Inhalation

Remove victim from area of exposure - avoid becoming a casualty. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Seek medical advice if symptoms persist.

Ingestion

Do NOT induce vomiting. Wash mouth out with water. Give water to drink. Seek medical advice.

Skin

If skin or hair contact occurs, remove any contaminated clothing and wash skin and hair thoroughly with running water. If irritation occurs seek medical assistance.

Eye contact

Hold eyelids open and irrigate continuously with water for 15 minutes. Seek medical advice.

Advice to Doctor

Treat symptomatically. Show this MSDS to the medical practitioner

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Combustible. Use water spray or fog, alcohol stable foam, dry chemical powder or carbon dioxide.

Hazards from Combustion Products

Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches etc. Decomposes on heating and may produce toxic fumes.

Specific Methods

Keep containers cool with water spray. Fire fighters to wear self contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Wear protective equipment to prevent skin and eye contact. Avoid breathing in vapours. Contain - prevent run off into drains and waterways. If contamination of sewers or waterways has occurred advise local emergency services.

Spills & Disposal

Slippery when spilt. Remove all ignition sources. Clean up spills immediately. Collect and seal in properly labelled containers for disposal. Contain spills with inert absorbent material (eg. sand, earth). Transfer liquids and used absorbant material to separate suitable containers for recovery or disposal.

Personal Protection

Gloves, chemical resistant boots and safety glasses/goggles are recommended. Breathing apparatus may be worn if ventillation is inadequate.

7. HANDLING AND STORAGE

Handling and storage

Classified as a C2 (COMBUSTIBLE LIQUID) for the purpose of storage and handling, in accordance with the requirements of AS 1940. Refer to State Regulations for storage and transport requirements.

Precautions for Safe Handling

Avoid skin and eye contact and breathing in vapour. Do not allow clothing wet with material to stay in contact with skin. Use in a well ventillated area. Keep away from sources of ignition.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated place and out of direct sunlight. Store away from incompatible materials described in Section 10. Keep containers closed when not in use - check regularly for leaks or build up of pressure. Avoid reactions with oxidising agents, strong acids & strong alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values

No value assigned for this specific material by Safe Work Australia.

ETHYLENE GLYCOL: TWA=20ppm, STEL=40ppm

Appropriate Engineering Controls

Combustible liquid. Use in well ventilated areas. Keep containers closed when not in use.

Personal Protective Equipment

OVERALLS, SAFETY SHOES, SAFETY GLASSES, GLOVES.

Use with adequate ventilation. If inhalation risk exists wear organic vapour/particulate respirator meeting the requirements of AS/ NZS 1715 and AS/NZS 1716. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated and other protective equipment before storage or reuse.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Liquid

Appearance

Green, Red, Blue or Yellow liquid

Odour

slight

Boiling Point

>100°C

Solubility in Water

miscible

Specific Gravity

1.10-1.12

рΗ

8.0 - 9.7

Flash Point

116°C (CC) - Ethylene Glycol

Flammability

Combustible liquid

Flammable Limits - Lower

3.2% (ethylene glycol vapour in air)

Flammable Limits - Upper

12.8% (ethylene glycol vapour in air)

10. STABILITY AND REACTIVITY

Chemical Stability

Product considered stable under normal conditions of use.

Incompatible materials

Avoid contact with oxidising agents, strong acids and strong alkalis.

11. TOXICOLOGICAL INFORMATION

Ingestion

Swallowing can result in nausea, vomiting, diarrhoea and abdominal pain.

Inhalation

May cause respiratory tract irritation, drowsiness and dizziness.

Skin

Contact with skin can result in irritation.

Eye

May be an eye irritant.

Chronic Effects

May cause damage to organs through prolonged or repeated exposure. Repeated or prolonged skin contact may cause dermatitis. The toxic effects of glycols are similar to those of alcohol, with depression of the central nervous system, nausea, vomiting, and degenerative changes in the liver and kidney.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Not considered hazardous for the environment based on currently available information.

13. DISPOSAL CONSIDERATIONS

Disposal considerations

Refer to Waste Management Authority. Dispose of material through a licensed waste contractor. Empty containers must be decontaminated and destroyed. Normally suitable for incineration by an approved agent.

14. TRANSPORT INFORMATION

Transport Information

Store away from oxidizing agents.

Store in a cool, dry place.

Not classified as a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.

U.N. Number

None Allocated

UN proper shipping name

None Allocated

Transport hazard class(es)

None Allocated

15. REGULATORY INFORMATION

Poisons Schedule

S5

Australia (AICS)

All ingredients are listed on the Australian Inventory of Chemical Substances (AICS). ERMA Approval Code: HSR002606

16. OTHER INFORMATION

Date of preparation or last revision of SDS

Issued: Jan 2020 (Classification change)

Replaces: Feb 2015

References

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons.

Australian Code for the Transport of Dangerous Goods by Road & Rail.

Workplace exposure standards, Safe Work Australia.

Hazardous Sunstances/Chemicals Information System, Safe Work Australia.

Globally Harmonised System of classification and labelling of chemicals.

Raw material suppliers' SDS

Other Information

Reason(s) for Issue: GHS Update.

Version: 4

DO NOT MIX WITH OTHER CHEMICALS WITHOUT PRIOR CONSULTATION WITH THE MANUFACTURER. Always use product as directed. Never return any unused material to original drum.

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writers knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product.

END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.