Revision Date: 17/7/2023

version 2



# Section 1: Identification of the substance and supplier

PRODUCT IDENTIFIER

MIXTURE IDENTIFICATION:

TRADE NAME:

**TUTELA MULTI UTTO 500 10W-30** 

TRADE CODE: 77456

RECOMMENDED USE OF THE CHEMICAL AND RESTRICTIONS ON USE

**RECOMMENDED USE:** 

Lubricant for transmission system.

**USES ADVISED AGAINST:** 

This product should not be used for other purposes than those specified without the advice of an expert.

1.3. DETAILS OF THE SUPPLIER

COMPANY: NZ Distributor:

PLI AUSTRALIA PTY. LIMITED

Oil Distributors Ltd t/a AKTRON

Suite 2, Level 6, 85 George Street
Parramatta, NSW 2150

14 Railway Road
Rangiora 7400
Ph: 0800 70 10 10
admin@aktron.co.nz

Australia ERMA Approval Code: HSR002605

Telephone: 001139 1800 834 081

COMPETENT PERSON RESPONSIBLE FOR SAFETY DATA OF PRODUCT:

Information on the legislation compliance info-regulation.eu@pli-petronas.com

**EMERGENCY PHONE NUMBER** 

Emergency Answer Service (24h/7d): +64 9 929 1483 National Poison Control Centre 0800 764 766

0800 446 881 (access from New Zealand only)

# **Section 2: Hazards identification**

# HSNO 2020 (7th GHS UN rev.) hazard classification

Classified as hazardous according to criteria in the Hazardous Substances (Hazard Classification) Notice 2020

Hazard classification

Substances that are contact sensitisers. H317 - May cause an allergic skin reaction.

Substances that are slightly harmful to the aquatic environment or are otherwise designed

for biocidal action.

Substances that are harmful in the aquatic H412 - Harmful to aquatic life with long lasting

environment. effects.

Revision Date: 17/7/2023

version 2



ADVERSE PHYSICOCHEMICAL, HUMAN HEALTH AND ENVIRONMENTAL EFFECTS: No other hazards

# HAZARD INFORMATION

# **Pictograms and Signal Words**



# Hazard statements

H317	May cause an allergic skin reaction.			
H402	Harmful to aquatic life			
H412	Harmful to aquatic life with long lasting effects.			
Precautionary statements				
P101	If medical advice is needed, have product container or label at hand.			
P102	Keep out of reach of children.			
P103	Read label before use.			
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.			
P272	Contaminated work clothing should not be allowed out of the workplace.			
P273	Avoid release to the environment.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P302+P352	IF ON SKIN: Wash with plenty of soap and water.			
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.			
DOCO	Wash same main stand alathing before yours			

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local, regional, national and

international regulations.

# OTHER HAZARDS WHICH DO NOT RESULT IN A CLASSIFICATION

No other hazards

# Section 3: Composition/information on ingredients

# **SUBSTANCES**

N.A.

# **MIXTURES**

Severely refined mineral and/or synthetic oils, additives.

Hazardous components within the meaning of HSNO Act and related classification

QTY	NAME	IDENT. NUMB.	CLASSIFICATION
1.0-<1.5 %	Zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	CAS:4259- 15-8 EC:224-235-	9.1B, H411; 8.3A, H318; 9.1D, H401

Revision Date: 17/7/2023

version 2



5

0.5- 2-tetradecyloxirane, CAS: 6.5B, H317

< 0.95 % reaction products with boric Confidential

acid EC:701-392-

2

0.1- Triphenyl phosphite CAS:101-02- 6.1D (oral), H302; 9.1A,

<0.25 % 0 H400; 9.1A, H410; 6.4A,

EC:202-908- H319; 6.3A, H315; 6.5B, 4 H317; 6.1D (dermal),

> H312; 6.1E (inhalation), H333; 6.9A (Single exposure), H370; 6.9B (Single exposure), H371;

9.3C, H433

70.0- Not classified oils

<90.0 %

H-phrases and list of abbreviations: see heading 16.

### Section 4: First aid measures

# DESCRIPTION OF NECESSARY FIRST AID MEASURES

# IN CASE OF INGESTION:

Do not induce vomiting to avoid aspiration into the respiratory tracts. Wash out thoroughly the mouth with water. Obtain immediate medical attention.

# IN CASE OF EYES CONTACT:

Rinse thoroughly with plenty of water for at least 10 minutes keeping eyelids open. Remove contact lenses if this can be done easily. Obtain medical attention in case of development and persistence of pain and redness. In case of contact with hot product, rinse thoroughly with plenty of water to dissipate heat. Obtain immediate medical attention to assess eye conditions and the correct treatment to be practiced.

# IN CASE OF SKIN CONTACT:

Remove contaminated clothes and shoes and rinse thoroughly with plenty of water and soap.

# IN CASE OF INHALATION:

Expose affected person to fresh air and obtain medical attention if necessary.

# INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED, IF NECESSARY

Refer to section 4.1.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

Refer to section 11.

# Section 5: Fire-fighting measures

Revision Date: 17/7/2023

version 2



#### **EXTINGUISHING MEDIA**

This product has no special fire risk. In case of fire use foam, carbon dioxide, dry chemical powder and water mist.

Cool down with water the containers don't get involved in fire to avoid their possible explosion.

Avoid high pressure water jet. Use water jet only to cool down surfaces exposed to fire.

SUITABLE EXTINGUISHING MEDIA:

Water.

Carbon dioxide (CO2).

UNSUITABLE EXTINGUISHING MEDIA:

None in particular.

# SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

Don't breathe combustion fumes: fire can form harmful compounds.

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

HAZARDOUS COMBUSTION PRODUCTS:

Oxides of carbon, compounds of sulphur, phosphorus, nitrogen and products of incomplete combustion.

# SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

# **Section 6: Accidental release measures**

# PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Avoid ingestion of product. Avoid contact with skin and eyes by wearing appropriate protective clothing. Avoid to breathe fumes and aereosols.

Surfaces on which the product has been spilled may become slippery.

Wear personal protection equipment.

See protective measures under point 7 and 8.

# **ENVIRONMENTAL PRECAUTIONS**

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

# METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Avoid flame and/or spark near leak and produced waste. Do not smoke. In case of large spills dike, absorb and shovel up into suitable containers for disposal. Contain small spills with absorbent material.

Revision Date: 17/7/2023

version 2



Put dirty material in suitable container. Dispose of dirty material in accordance with local or national regulations.

# Section 7: Handling and storage

# PRECAUTIONS FOR SAFE HANDLING

Avoid ingestion. Avoid frequent and prolonged skin contact and contact with eyes. Provide adequate ventilation to avoid mist or aereosol. Don't smoke or use spare flames; avoid contact with spark or other sources of ignition. Don't work near open container to avoid high concentration of vapours. Don't eat or drink during use.

# CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Store under cover in the original container securely closed away from heat and sources of ignition. Do not store in the open air. Assure a correct ventilation of premises and the control of possible leak. Keep out of flame or spark and avoid the accumulation of electrostatic charges. Keep out of reach of children and away from food and drink.

Storage class (TRGS 510, Germany): 10

# **Section 8: Exposure controls/personal protection**

# 8.1. CONTROL PARAMETERS

OEL: oil mists - TLV/TWA (8 h): 5 mg/m3 - TLV/STEL: 10 mg/m3

No data available

# **ENGINEERING CONTROLS**

Avoid production and diffusion of mist and aerosol with utilization of localized ventilation/aspiration or other required precautions. Adopt all required precaution to avoid product immission in environment (e.g., blasting systems, catch basins, ...).

# 8.3. INDIVIDUAL PROTECTION MEASURES, SUCH AS PERSONAL PROTECTIVE EQUIPMENT (PPE)

# EYE PROTECTION:

Chemical goggles and face shield in case of oil splashes.

# PROTECTION FOR SKIN:

Wear suitable protective clothing (for further information, refer to CEN-EN 14605); change it immediately in case of large contamination and wash it before subsequent use.

Practice reasonable personal cleanliness.

# PROTECTION FOR HANDS:

Wear suitable gloves (i.e. neoprene, nitrile). Gloves should be changed when they show wear. The kind of gloves and the term of use must be decided from employer with regard to processing and to allow for DPI legislation and glove producer's indications. Wear gloves only with clean hands.

Revision Date: 17/7/2023

version 2



**METHOD** 

# RESPIRATORY PROTECTION:

None required under normal conditions of use. Use approved full face respirator with organic vapour filter cartridge if the recommended exposure limits are exceeded.

**VALUE** 

# **ENVIRONMENTAL EXPOSURE CONTROLS:**

Refer to technical precautions and also to sections 6.2, 6.3, 7.2, 12 and 13.

# Section 9: Physical and chemical properties

**CHEMICAL-PHYSICAL PROPERTY** 

# 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

CHEMICAL-PHYSICAL PROPERTY	VALUE	METHOD
9.2. OTHER INFORMATION		
FLAMMABILITY (SOLID, GAS)	N.A.	
OXIDIZING PROPERTIES	N.A.	
EXPLOSIVE PROPERTIES	N.A.	
KINEMATIC VISCOSITY AT 40°C	56.99 cSt	( ASTM D445 )
KINEMATIC VISCOSITY AT 100°C	N.A.	
DECOMPOSITION TEMPERATURE:	N.A.	
AUTO-IGNITION TEMPERATURE:	N.A.	
PARTITION COEFFICIENT (N-OCTANOL/WATER):	N.A.	
SOLUBILITY IN OIL:	N.A.	
SOLUBILITY IN WATER:	IMMISCIBLE	,
DENSITY	0.8678 g/cm3	( ASTM D4052 )
VAPOUR PRESSURE:	N.A.	
VAPOUR DENSITY:	N.A.	
UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	N.A.	
EVAPORATION RATE:	N.A.	(7.5255)
FLASH POINT:	236 °C (457 °F)	
INITIAL BOILING POINT AND BOILING RANGE:	>300 °C (572 °F)	( ASTM D2887 )
MELTING POINT / FREEZING POINT:	N.A.	
PH:	N.A.	
ODOUR THRESHOLD:	NOT RELEVANT	
ODOUR:	NOT RELEVANT	
APPEARANCE AND COLOUR:	VISCOUS AMBER	
PHYSICAL STATE	LIQUID	

# SUBSTANCE GROUPS RELEVANT PROPERTIES N.A. MISCIBILITY N.A. CONDUCTIVITY N.A. FREEZING POINT: N.A. POUR POINT N.A. DROPPING POINT N.A.

# Section 10: Stability and reactivity

Revision Date: 17/7/2023

version 2



Read carefully all information provided in other sections of heading 10.

# CHEMICAL STABILITY

The product is stable under normal conditions of use.

# POSSIBILITY OF HAZARDOUS REACTIONS

Not expected under normal conditions of use.

# CONDITIONS TO AVOID

This product must be kept far from heat sources. In any case, avoid exposing product to temperatures above the flash point.

#### INCOMPATIBLE MATERIALS

Strong oxidizing agents, hard acids and bases.

# HAZARDOUS DECOMPOSITION PRODUCTS

Oxides of carbon, compounds of sulphur, phosphorus, nitrogen and hydrogen sulfide.

# **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1. INFORMATION ON TOXICOLOGICAL EFFECTS

# **ACUTE TOXICITY:**

This product is not classified in this hazard class.

Unlike to cause harm if accidentally swallowed in small doses, though ingestion of large quantities may cause gastro-intestinal effects.

### SKIN CORROSION OR IRRITATION:

This product is not classified in this hazard class, but prolonged or repeated skin contact sometimes may cause irritations and dermatitis.

# SERIOUS EYE DAMAGE OR EYE IRRITATION:

This product is not classified in this hazard class, but direct contact may cause slight irritations.

# **RESPIRATORY SENSITIZATION:**

This product is not classified in this hazard class.

# SKIN SENSITIZATION:

The product may cause sensitization by skin contact. Prolonged or repeated contacts may cause irritations or dermatitis.

In a sensitized individual the allergic dermatitis may not appear until after several days or weeks of frequent and prolonged contact. Therefore, even though the skin irritation potential is slight, skin contact

Revision Date: 17/7/2023

version 2



should be avoided.

Once sensitization has occurred, exposure of the skin to very small quantities of the material may cause erythema and edema.

# GERM CELL MUTAGENICITY:

Based on available data, the classification criteria are not met.

# **CARCINOGENICITY:**

Based on available data, the classification criteria are not met.

#### REPRODUCTIVE TOXICITY:

Based on available data, the classification criteria are not met.

# SPECIFIC TARGET ORGAN TOXICITY (STOT) - SINGLE EXPOSURE:

This product is not classified in this hazard class, but inhalation of mists and vapours generated at elevated temperatures sometimes may cause respiratory irritation.

# SPECIFIC TARGET ORGAN TOXICITY (STOT) - REPEATED EXPOSURE:

This product is not classified in this hazard class.

# **ASPIRATION HAZARD:**

This product is not classified in this hazard class.

# RESPIRATORY IRRITATION AND NARCOTIC EFFECTS:

This product is not classified in this hazard class, but inhalation of mists and vapours generated at elevated temperatures sometimes may cause respiratory irritation.

Toxicological information on main components of the mixture:

No data available

# **Section 12: Ecological information**

# **ECOTOXICITY**

# Eco-Toxicological Information:

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The available data on components are not sufficient to classify the mixture regarding to the terrestrial ecotoxicity.

List of Eco-Toxicological properties of the components

COMPONENT	IDENT. NUMB.	ECOTOX DATA
Zinc bis[O,O-bis(2- ethylhexyl)] bis(dithiophosphate)	CAS: 4259- 15-8 - EINECS: 224- 235-5	a) Aquatic acute toxicity: LC50 Fish Rainbow trout = 4.4 mg/L 96h -

b) Aquatic chronic toxicity: NOEC Fish Rainbow trout = 3.2 mg/L 96h

Revision Date: 17/7/2023

version 2



a) Aquatic acute toxicity: EC50 Daphnia = 75 mg/L 48h
 b) Aquatic chronic toxicity: NOEC Daphnia = 32 mg/L 48h
 a) Aquatic acute toxicity: EC50 Algae Green Algae = 410 mg/L 72h

b) Aquatic chronic toxicity: NOEC Algae Green Algae = 220 mg/L 72h

# PERSISTENCE AND DEGRADABILITY

Data on biodegradability of product are not available.

N.A.

# BIOACCUMULATIVE POTENTIAL

Not available.

N.A.

# MOBILITY IN SOIL

As the dispersion in the environment may result in contamination of environmental matrix (soil, subsoil, surface water and groundwater), do not release in the environment.

N.A.

# OTHER ADVERSE EFFECTS

No effect known.

# **Section 13: Disposal considerations**

# **DISPOSAL METHODS**

Prevent contamination of soil, drains and surface waters.Do not discharge in sewers, tunnels or water courses. Dispose in accordance with local or national regulations via authorised person/licensed waste disposal contractor.

The used product and its package have to be treated in accordance with the Hazardous Substances (Disposal) Notice 2017.

The package is disposed as waste only after it has been render incapable of containing any substance. Recover if possible. In so doing, comply with the local and national regulations currently in force.

Packages may be reused or recycled only if it has been treated to remove any residual contents of the hazardous substance.

# SPECIAL PRECAUTIONS TO BE TAKEN DURING DISPOSAL

When the product or its dirty package are discharged as waste or deposited into a landfill, avoid at any time it come into contact with Class 1 or Class 5 products.

Take care that there is no ignition source in the vicinity of the disposal site at any time that is capable of

Revision Date: 17/7/2023

version 2



igniting the substance. If the substance were to ignite accidentally, take care that no person, or place where a person may legally be, would be exposed to an unsafe level of heat radiation.

# **Section 14: Transport information**

**UN NUMBER** 

N/A

# UN PROPER SHIPPING NAME

ADR-Shipping Name: N/A IATA-Technical name: N/A IMDG-Technical name: N/A

# TRANSPORT HAZARD CLASS(ES)

ADR-Class: N/A IATA-Class: N/A IMDG-Class: N/A

# PACKING GROUP, IF APPLICABLE

ADR-Packing Group: N/A IATA-Packing group: N/A IMDG-Packing group: N/A

# **ENVIRONMENTAL HAZARDS**

Toxic Ingredients Qty: 0.00

High Toxicity Ingredients Qty: 0.00

Marine pollutant: No

Environmental Pollutant: No

# SPECIAL PRECAUTIONS FOR USER

# Road and Rail ( ADR-RID ) :

ADR-Label: N/A

ADR - Hazard identification number: N/A

ADR-Special Provisions: N/A

ADR-Transport category (Tunnel restriction code): N/A

# Air ( IATA ):

IATA-Passenger Aircraft: N/A IATA-Cargo Aircraft: N/A

IATA-Label: N/A

IATA-Subsidiary hazards: N/A

Revision Date: 17/7/2023

version 2

PETRONAS

IATA-Erg: N/A

IATA-Special Provisioning: N/A

Sea (IMDG):

IMDG-Stowage Code: N/A
IMDG-Stowage Note: N/A
IMDG-Subsidiary hazards: N/A
IMDG-Special Provisioning: N/A

IMDG-EMS: N/A

14.7. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL AND THE IBC CODE

N.A.

# **Section 15: Regulatory information**

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS SPECIFIC FOR THE PRODUCT IN QUESTION

# **HSNO APPROVAL**

HSR002606 Lubricants, Lubricant Additives, Coolants and Anti-freeze Agents (Subsidiary Hazard) Group Standard 2017

# **HSNO CONTROLS**

Approved Handler

No data available

Substances covered under this Group Standard will not require an approved handler.

# NEW ZEALAND INVENTORY OF CHEMICALS (NZIOC)

All components are in compliance with the chemical inventory requirements.

# REGULATORY REFERENCES

Hazardous Substances and New Organisms Act 1996 and following amended

Environmental Protection Authority Act 2011 and following amended

Hazardous Substances (Minimum Degrees of Hazard) Notice 2017

Hazardous Substances (Classification) Notice 2017

Hazardous Substances (Labelling) Notice 2017

Hazardous Substances (Safety Data Sheets) Notice 2017

Hazardous Substances (Disposal) Notice 2017

Hazardous Substances (Hazardous Property Controls) Notice 2017

Globally Harmonized System of Classification and Labelling of Chemicals (GHS, 5th revised edition)

Thresholds and Classifications Under the Hazardous Substances and New Organisms Act 1996 (January 2012)

Revision Date: 17/7/2023

version 2



Assigning a Product to a HSNO Approval (May 2013/Revised June 2014)
Labelling of Hazardous Substances: Hazard and Precautionary Information (January 2012 EPA0094)
Preparation of Safety Data Sheets - Approved Code of Practice Under the HSNO Act 1996 (HSNO CoP 8-109-06)

### **Section 16: Other information**

The mineral base oils contained in this product are severely refined and are therefore not to be considered as carcinogen. They contain less than 3% DMSO extract according to IP 346 method ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London). Sheet complies with the criteria of Approved Code of Practice Under the HSNO Act 1996 and Global

This document was prepared by a competent person who has received appropriate training.

This product must not be used in applications other than recommended without first seeking the advice of the Technical Department.

Date of first edition: 04/03/2021

Revision Date:: 17/07/2023 - version 2

Harmonized System (GHS) standards.

This SDS cancels and replaces any preceding release.

This product must be stored, handled and used according to correct industrial hygienic practices and in compliance with laws in force.

The information contained herein is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It should not therefore be considered as any quarantee of specific properties.

Key literature references and sources:

None

CODE

# Caption about heading 3 and H-statements:

DESCRIPTION

CODE	DESCRIPTION	
H302	Harmful if swallowed.	
H312	Harmful in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H333	May be harmful if inhaled	
H370	Causes damage to organs.	
H371	May cause damage to organs.	
H400	Very toxic to aquatic life.	
H401	Toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H433	Harmful to terrestrial vertebrates.	
Description of the HSNO Classification codes used in section 2 or 3:		

CODE DESCRIPTION

Revision Date: 17/7/2023

version 2



6.1D Substances that are acutely toxic - Harmful (dermal).

(dermal)

6.1D (oral) Substances that are acutely toxic - Harmful (oral).6.1E Substances that are acutely toxic - May be harmful

(inhalation) (inhalation).

6.3A Substances that are irritating to the skin.
6.4A Substances that are irritating to the eye.
6.5B Substances that are contact sensitisers.

6.9A (Single Substances that are toxic to human target organs or

exposure) systems (Single exposure).

6.9B (Single Substances that are harmful to human target organs or

exposure) systems (Single exposure).

8.3A Substances that are corrosive to ocular tissue.9.1A Substances that are very ecotoxic in the aquatic

environment.

9.1B Substances that are ecotoxic in the aquatic

environment.

9.1D Substances that are slightly harmful to the aquatic

environment or are otherwise designed for biocidal

action.

9.3C Substances that are harmful to terrestrial vertebrates.

Legend to abbreviations and acronyms used in the safety data sheet:

ACGIH: American Conference of Governmental Industrial Hygienists

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. AND: European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways

ATE: Acute Toxicity Estimate

ATEmix: Acute toxicity Estimate (Mixtures)

BCF: Biological Concentration Factor

BEI: Biological Exposure Index

BOD: Biochemical Oxygen Demand

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CAV: Poison Center

CE: European Community

CLP: Classification, Labeling, Packaging.

CMR: Carcinogenic, Mutagenic and Reprotoxic

COD: Chemical Oxygen Demand COV: Volatile Organic Compound CSA: Chemical Safety Assessment CSR: Chemical Safety Report

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level.

**DPD: Dangerous Preparations Directive** 

# Safety Data Sheet

# **TUTELA MULTI UTTO 500 10W-30**

Revision Date: 17/7/2023

version 2

PETRONAS

DSD: Dangerous Substances Directive EC50: Half Maximal Effective Concentration

ECHA: European Chemicals Agency

EINECS: European Inventory of Existing Commercial Chemical Substances.

ES: Exposure Scenario

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IARC: International Agency for Research on Cancer

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

IC50: half maximal inhibitory concentration

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods. INCI: International Nomenclature of Cosmetic Ingredients.

IRCCS: Scientific Institute for Research, Hospitalization and Health Care

KAFH: Keep away from heat KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LDLo: Leathal Dose Low N.A.: Not Applicable N/A: Not Applicable

N/D: Not defined/ Not available

NA: Not available

NIOSH: National Institute for Occupational Safety and Health

NOAEL: No Observed Adverse Effect Level

OSHA: Occupational Safety and Health Administration.

PBT: Persistent, Bioaccumulative and Toxic

PGK: Packaging Instruction

PNEC: Predicted No Effect Concentration.

**PSG: Passengers** 

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STEL: Short Term Exposure limit. STOT: Specific Target Organ Toxicity.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

vPvB: Very Persistent, Very Bioaccumulative.

WGK: German Water Hazard Class.