



Synergy 5W30

Description

SYNERGY 5W30 is a full synthetic petrol motor oil developed by GM for late model GM vehicles with petrol engines. It is also suitable for use in a wide variety of other makes and models. Formulated with advanced synthetic base stocks, premium additives and a broad viscosity rating, providing the highest level of protection in the most demanding of conditions and allowing for maximum drain intervals. SYNERGY 5W30 is a multi-grade, low pour point motor oil ensuring quick lubrication to all moving parts during cold weather starts. Gen 2 formulation gives the oil the ability to prevent LSPI phenomenon inherent in modern small- high output petrol engines.

Benefits

SYNERGY 5W30 meets or exceeds the requirements of an API SP/ ILSAC GF-6 engine oil and is formulated for high output, small displacement turbo charged engines and naturally aspirated engines in the GM family and other makes. SYNERGY 5W30 maintains outstanding engine cleanliness, good thermal and oxidation resistance, resistance to sludge formation and wear protection in all operating conditions.

Specifications

- GM DEXOS 1 (2nd Generation)
- ILSAC GF-6A, GF-5
- API SP, API SN Plus (RC)
- FORD M2C961-A1, M2C946-A
- CHRYSLER MS6395

Technical Data

Characteristics	Synergy 5w30
Specific gravity at 15 C	0.855
Kinematic viscosity at 40 C, mm ² /s (cSt)	64
Kinematic viscosity at 100 C, mm ² /s (cSt)	11.2
Viscosity index	168