

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SDS Reference Number: 21453 Issue date: 27/03/2023 Revision date: 16/10/2024 Supersedes version of: 24/09/2024 Version: 1.4

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Mixture Product name EP80W-90 Product code 7040 Type of product Gear oil Product group : End product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Main use category : Industrial use.Professional use Use of the substance/mixture : Lubricants and additives Function or use category : Lubricants and additives

Title	Life cycle stage	Use descriptors
General industrial use of lubricants and greases in vehicles or machinery. Includes filling and draining of containers and enclosed machinery (including engines)	Industrial, Professional	SU3, PC17, PC24, PROC1, PROC8b, ERC4, ERC7

N7 Distributor:

Full text of use descriptors: see section 16

1.3. Details of the supplier of the safety data sheet

Manufacturer Morris Lubricants

Oil Distributors Ltd t/a AKTRON Castle Foregate

14 Railway Road SY1 2EL Shrewsbury, Shropshire Rangiora 7400 United Kingdom Ph: 0800 70 10 10 T +44 (0) 1743 232200 admin@aktron.co.nz

sds@morris-lubricants.co.uk **ERMA Approval Code:** HSR002605

1.4. Emergency telephone number

Emergency number National Poison Control Centre 0800 764 766

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - Chronic Hazard, H412

Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

16/10/2024 (Revision date) GB - en 1/11

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

EUH-statements

: EUH208 - Contains Polysulfides, di-tert-Bu, Phosphorous acid, tri- C12-14-alkyl esters. May produce an allergic reaction.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates, hydrotreated heavy paraffinic substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-54-7 EC-No.: 265-157-1 EC Index-No.: 649-467-00-8 REACH-no: 01-2119484627- 25, UK-01-1759217276-5	≥ 70 - < 90	Not classified
Residual oils (petroleum), solvent dewaxed substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	CAS-No.: 64742-62-7 EC-No.: 265-166-0 EC Index-No.: 649-471-00-X REACH-no: 01-2119480472- 38-0013, 01-2119489287-22, UK-01-1759217276-5	≥ 10 - < 30	Not classified
Polysulfides, di-tert-Bu	CAS-No.: 68937-96-2 EC-No.: 273-103-3 REACH-no: 01-2119540515- 43, UK-01-2783246473-2	≥1-<5	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Phosphorous acid , tri- C12-14-alkyl esters	CAS-No.: 93686-48-7 EC-No.: 297-701-9 REACH-no: 01-2119981710- 36	≥ 0.1 – < 1	Skin Sens. 1, H317
Reaction mass of Octadec-9-en-1-yl ammonium di-n-hexyl phosphorodithioate and Octadec-9-en-1-yl ammonium mono- and dibutylphosphate	EC-No.: 434-280-4 REACH-no: 01-0000018043- 80, UK-01-6794183075-3	≥ 0.1 – < 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Highly refined mineral oil (C15 - C50) substance with national workplace exposure limit(s) (BE, BG, CZ, DK, FI, GB, GR, HU, IE, LT, LV, NL, PL, PT, RO, SE, SK, IS, NO, CH)	-	≥ 0.1 – < 1	Not classified

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
Polysulfides, di-tert-Bu		(0 ≤ C < 5.99) EUH208 (6 ≤ C < 100) Skin Sens. 1; H317

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Comments : A petroleum product. DMSO extract < 3 % weight (IP 346)

Mineral oil contained may be described by one or more of the following:

EC No. 265-157-1, Registration No. 01-2119484627-25 (UK-01-1759217276-5), Distillates

(petroleum), hydrotreated heavy paraffinic;

EC No. 265-169-7, Registration No. 01-2119471299-27 (UK-01-0119695008-1), Distillates

(petroleum), solvent-dewaxed heavy paraffinic;

EC No. 265-158-7, Registration No. 01-2119487077-29 (UK-01-6871927170-9), Distillates

(petroleum), hydrotreated light paraffinic;

EC No. 265-159-2, Registration No. 01-2119480132-48 (UK-01-6953758963-7), Distillates

(petroleum), solvent-dewaxed light paraffinic

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

No additional information available

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures : Ventilate spillage area.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

16/10/2024 (Revision date) GB - en 3/11

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do n

Do not eat, drink or smoke when using this product. Always wash hands after handling the

product

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National occupational exposure and biological limit values

Distillates, hydrotreated heavy paraffinic (64742-54-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³	
Regulatory reference	EU OEL	
Residual oils (petroleum), solvent dewaxed (64742-62-7)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³	
Regulatory reference	EU OEL	
Highly refined mineral oil (C15 - C50)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA)	5 mg/m³	
WEL STEL (OEL STEL) 10 mg/m³		
Regulatory reference EU OEL		

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment symbol(s):







Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Eye and face protection

Eye protection:

Safety glasses

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Physical state

Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour : amber. Appearance : Liquid. Odour : mild. : Not available Odour threshold : Not applicable Melting point Freezing point : Not available Boiling point : > 320 °C Flammability : Not applicable Lower explosion limit : Not available Upper explosion limit : Not available : 181 °C PMCC Flash point Auto-ignition temperature : Not available Decomposition temperature : Not available рΗ : Not available

: 128.9 mm²/s Solubility : Material nearly insoluble in water. Soluble in organic solvents.

: Liquid

Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available : Not available Density : 0.889 Relative density Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

Viscosity, kinematic @ 40°C

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral
	Toxicity)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Reaction mass of Octadec-9-en-1-yl ammonium di-n-hexyl phosphorodithioate and Octadec-9-en-1-yl ammonium monoand dibutylphosphate

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Residual oils (petroleum), solvent dewaxed (64742-62-7)

	125 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	> 0.98 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28-Day Study)

Aspiration hazard : Not classified

EP80W-90

Viscosity, kinematic @ 40°C 128.9 mm²/s

Residual oils (petroleum), solvent dewaxed (64742-62-7)

Viscosity, kinematic @ 40°C 490 mm²/s

11.2. Information on other hazards

No additional information available

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

: Harmful to aquatic life with long lasting effects. Hazardous to the aquatic environment, long-term

(chronic)

Polysulfides, di-tert-Bu (68937-96-2)		
LC50 - Fish [1]	0.888 mg/l Danio rerio	
EC50 - Crustacea [1]	0.24 mg/l Daphnia magna	
EC50 72h - Algae [1]	0.838 mg/l Pseudokirchneriella subcapitata	
NOEC chronic algae	0.04 mg/l Pseudokirchneriella subcapitata	

12.2. Persistence and degradability

EP80W-90			
Persistence and degradability	Not rapidly degradable		
Distillates, hydrotreated heavy paraffinic (64742-54-7)			
Persistence and degradability	Not rapidly degradable		
Polysulfides, di-tert-Bu (68937-96-2)			
Persistence and degradability	Not rapidly degradable		
Phosphorous acid , tri- C12-14-alkyl esters (93686-48-7)			
Persistence and degradability Not rapidly degradable			
Reaction mass of Octadec-9-en-1-yl ammonium di-n-hexyl phosphorodithioate and Octadec-9-en-1-yl ammonium monoand dibutylphosphate			

Persistence and degradability Not rapidly degradable

Residual oils (petroleum), solvent dewaxed (64742-62-7)

Persistence and degradability	Not established.
Biodegradation	< 60 % 28 days

Highly refined mineral oil (C15 - C50)

Persistence and degradability Not rapidly degradable

12.3. Bioaccumulative potential

Polysulfides, di-tert-Bu (68937-96-2)	
Partition coefficient n-octanol/water (Log Pow)	5.6

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Endocrine disrupting properties

No additional information available

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

European List of Waste (LoW, EC 2000/532)

HP Code

- $: \ \, \text{Dispose of contents/container in accordance with licensed collector's sorting instructions}.$
- : 15 01 10* packaging containing residues of or contaminated by dangerous substances
- 13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils
- : HP14 "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID	
14.1. UN number or ID number					
Not regulated for transport					
14.2. UN proper shipping	g name				
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.3. Transport hazard class(es)					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.4. Packing group					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
14.5. Environmental hazards					
Not regulated	Not regulated	Not regulated	Not regulated	Not regulated	
No supplementary information available					

14.6. Special precautions for user

Overland transport

Not regulated

Transport by sea

Not regulated

Air transport

Not regulated

Inland waterway transport

Not regulated

Rail transport

Not regulated

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Dual-Use Regulation (428/2009)

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

For the following substances of this mixture a chemical safety assessment has been carried out:

Residual oils (petroleum), solvent dewaxed

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Abbreviations and acronyms:		
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
EUH208	Contains Polysulfides, di-tert-Bu, Phosphorous acid, tri- C12-14-alkyl esters. May produce an allergic reaction.	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law, and based on EU 2020/878.

Full text of use descriptors		
ERC4	Use of non-reactive processing aid at industrial site (no inclusion into or onto article)	
ERC7	Use of functional fluid at industrial site	
PC17	Hydraulic Fluids	
PC24	Lubricants, greases, release products	
PROC1	Chemical production or refinery in closed process without likelihood of exposure or processes with equivalent containment conditions	
PROC8b	Transfer of substance or mixture (charging and discharging) at dedicated facilities	
SU3	Industrial uses: Uses of substances as such or in preparations at industrial sites	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.